

ยงยุทธ วัฒนาไชย. ปัจจัยเชิงสาเหตุและผลของความเข้มแข็งในการมองโลกในผู้ป่วยมะเร็งตับและท่อน้ำดี. วิทยานิพนธ์ปริญญา
ดุษฎีบัณฑิต สาขาวิจัยและประเมินผลการศึกษ มหาวิทยาลัยราชภัฏอุบลราชธานี, 2562.

บทคัดย่อ

การวิจัยครั้งนี้มีวัตถุประสงค์เพื่อ 1) ศึกษาความเข้มแข็งในการมองโลกของผู้ป่วยมะเร็งตับและท่อน้ำดี ตัวอย่างคือ
ผู้ป่วยมะเร็งตับและท่อน้ำดี จำนวน 8 คน ได้มาโดยการเลือกแบบเจาะจง เก็บข้อมูลเชิงคุณภาพโดยการทำสนทนากลุ่ม 2) พัฒนาและ
ตรวจสอบความสอดคล้องระหว่างรูปแบบความสัมพันธ์เชิงสาเหตุของความเข้มแข็งในการมองโลกของผู้ป่วยมะเร็งตับและท่อน้ำดีกับ
ข้อมูลเชิงประจักษ์ ตัวอย่างที่ใช้เก็บข้อมูลเชิงปริมาณคือผู้ป่วยมะเร็งตับและท่อน้ำดี จำนวน 360 คน ได้มาโดยการสุ่มแบบแบ่งชั้นภูมิ
เครื่องมือที่ใช้ในการวิจัยเป็นแบบมาตรวัดประมาณค่า 5 ระดับ จำนวน 6 ฉบับ สถิติที่ใช้ในการวิจัยวิเคราะห์ข้อมูลเชิงปริมาณ คือ
ร้อยละ ค่าเฉลี่ย ส่วนเบี่ยงมาตรฐาน การวิเคราะห์องค์ประกอบเชิงยืนยัน การวิเคราะห์รูปแบบความสัมพันธ์เชิงโครงสร้าง และการ
วิเคราะห์ข้อมูลเชิงอุปนัยสำหรับข้อมูลเชิงคุณภาพ

ผลการวิจัยพบว่า

1. ความเข้มแข็งในการมองโลกของผู้ป่วยมะเร็งตับและท่อน้ำดี อยู่ในระดับมาก ($\bar{X} = 3.57$) แยกเป็น องค์ประกอบด้าน
ความสามารถในการจัดการ ความสามารถในการเข้าใจ และความสามารถในการเห็นคุณค่าและความหมาย อยู่ในระดับมาก ($\bar{X} = 3.55$,
4.27 และ 3.75) คุณภาพชีวิตของผู้ป่วยมะเร็งตับและท่อน้ำดี อยู่ในระดับมาก ($\bar{X} = 3.60$) แยกเป็นองค์ประกอบด้าน ความผาสุกด้าน
ร่างกาย ความผาสุกด้านสังคมและครอบครัว และความผาสุกด้านการปฏิบัติกิจกรรม อยู่ในระดับมาก ($\bar{X} = 3.95$, 3.77 และ 3.78)
ส่วนความผาสุกด้านอารมณ์และจิตใจ อยู่ในระดับปานกลาง ($\bar{X} = 2.85$)

2. รูปแบบความสัมพันธ์เชิงสาเหตุของความเข้มแข็งในการมองโลกของผู้ป่วยมะเร็งตับและท่อน้ำดี มีความกลมกลืนกับ
ข้อมูลเชิงประจักษ์ โดยมีค่า $\chi^2 = 113.649$, $df = 92$, $\chi^2 / df = 1.235$, $CFI = 0.998$, $TLI = 0.996$, $RMSEA = 0.027$, $SRMR = 0.034$
โดยพบว่า คุณภาพชีวิตของผู้ป่วยมะเร็งตับและท่อน้ำดีได้รับอิทธิพลจากความเข้มแข็งในการมองโลกมากที่สุด และตัวแปรเชิงสาเหตุ
ทั้งหมดสามารถร่วมกันอธิบายความแปรปรวนของคุณภาพชีวิตผู้ป่วยมะเร็งตับและท่อน้ำดี ได้ร้อยละ 55.80 และตัวแปรที่มีอิทธิพลต่อ
ความเข้มแข็งในการมองโลกมากที่สุดคือ ความคิดเชิงบวก การสนับสนุนทางสังคม และประสบการณ์ชีวิต ตามลำดับ

คำสำคัญ: ความเข้มแข็งในการมองโลก ผู้ป่วยมะเร็งตับและท่อน้ำดี รูปแบบความสัมพันธ์เชิงสาเหตุ

.....(อาจารย์ ดร. รสวลีย์ อักษรวงศ์) อาจารย์ที่ปรึกษาวิทยานิพนธ์หลัก

.....(ผู้ช่วยศาสตราจารย์ ดร. วิรัตน์ กิตติพิชัย) อาจารย์ที่ปรึกษาวิทยานิพนธ์ร่วม

Yongyut Watnachai. **Causal Factors and the Effects of the Strength of the World View of the Patients with Hepatocellular Carcinoma and Bile Duct Cancer.** Doctoral Dissertation in Educational Research and Evaluation, Ubon Ratchathani Rajabhat University, 2019.

ABSTRACT

This research aimed to work with 2 objectives. The first objective was to study the strength of the world view of the patients with hepatocellular carcinoma and bile duct cancer. The samples were 8 patients with hepatocellular carcinoma and bile duct cancer, randomized by purposive sampling. The qualitative data were collected by focus group discussion. The second objective was to develop and investigate the relevance between the causal relationship model of the strength of the world view of the patients with hepatocellular carcinoma and bile duct cancer and the empirical data. The samples, randomized by a stratified sampling, were 360 patients with hepatocellular carcinoma and bile duct cancer. The research instrument consisted of six sets of the five-rating scales questionnaires. The statistics used to analyze the qualitative data were percentage, mean, standard deviation, the confirmatory factor analysis, the analysis of the structural relationship model, and the analytic induction used to analyze the qualitative data.


The research findings were as follows.

1. The strength of the world view of the patients with hepatocellular carcinoma and bile duct cancer was at a high level ($\bar{X} = 3.57$). When the strength was divided into aspects, the average scores of the aspects of the ability of management, comprehension, and realization in values and meaning were at high levels ($\bar{X} = 3.55, 4.27, 3.75$). The life quality of the patients with hepatocellular carcinoma and bile duct cancer was at a high level ($\bar{X} = 3.60$). When the life quality was divided into aspects, the average scores of the aspects of well-being, bodies, family and social well-being, and well-being in workshops were at high levels ($\bar{X} = 3.95, 3.77$ and 3.78) while the average score of the emotional and psychological well-being was at a medium level ($\bar{X} = 2.85$).


2. The casual relationship model of the strength of the world view of the patients with hepatocellular carcinoma and bile duct cancer fit the empirical data well, as indicated by excellent fit indices, $\chi^2 = 113.649$, $df = 92$, $\chi^2/df = 1.235$, CFI = 0.998, TLI = 0.996, RMSEA = 0.027, SRMR = 0.034. The results also pointed out that the life quality of the patients was affected by the strength of the world view at the highest level. All of the casual variables could be used together to explain the life quality variance of the patients with hepatocellular carcinoma and bile duct cancer by 55.80 percent. The variables that influenced to the strength of the world view at the highest level consisted of the positive thinking, social supports, and life experiences, respectively.

Keywords: Sense of coherence, Hepatocellular carcinoma patient, casual relationship model

.......... (Dr. Rosawalee Ugsornwong) Dissertation Adviser

.......... (Assistance Professor Dr. Wirin Kitiphichai) Dissertation Co-Adviser



Approved by
..........
(Jutamane Tipparach)